



Superior Solutions for Today's Maintenance & Servicing Demands

Great equipment to support great lifts



Stertil-Koni USA is the leader in the heavy duty vehicle lift industry, recognized for its state-of-the-art bus lifts and truck lifts. Stertil-Koni brings the very best in engineering and technologically advanced lifting solutions to its customers throughout North America, as well as unparalleled after-sales service from its factory-trained local distributors. The Stertil-Koni product range offers everything a shop needs to safely and effectively accomplish a broad range of maintenance and servicing requirements – quickly, efficiently and expertly.







Support Stands

Stertil-Koni's Support Stands, indispensable for many of today's leading shops, are engineered to support trucks, buses and other heavy vehicles facilitating a variety of maintenance practices.

All Stertil-Koni Support Stands are statically tested to 200% of the rated load capacity.

Tilt & Roll

- Heavy steel framing manufactured to the highest industry standards
- Ergonomic design promotes health and safety
- Secure locking pin with steel retaining cable
- Advanced mobility with built-in wheels
- Spring-loaded center tube
- Up to six inches of fine adjustment via an ACME screw (model dependent)

MODEL #	CAPACITY	HEIGHT	HEAD
SKCV 5480-07	14,000 lbs.	54"-80"	1 fixed steel head
SKCP 5278-09	18,000 lbs.	52"-78"	1 fixed steel head
SKMH 3658-12	24,000 lbs.	36"–58"	2 interchangeable heads
SKMH 5480-12	24,000 lbs.	54"-80"	2 interchangeable heads
SKCVP 3658-18	36,000 lbs.	36"–58"	1 fixed wooden head
SKCVP 5480-18	36,000 lbs.	54"-80"	1 fixed wooden head

No Wheels

MODEL #	CAPACITY	HEIGHT	PIN/ADJUST	WEIGHT
SKCP 1220-10	20,000 lbs.	12"–20"	pin stop	27 lbs.
SKCV 1828-10	20,000 lbs.	18"–28"	fine adjust	57 lbs.
SKCP 1830-10	20,000 lbs.	18"–30"	pin stop	39 lbs.
SKCP 2644-10	20,000 lbs.	26"-44"	pin stop	42 lbs.



SKCP 1220-10



















Simple,









JS-L12



JS- M12 / JS-H12

Fixed Model

- + Heavy steel framing manufactured to the highest industry standards
- + Ergonomic design promotes health and safety
- Secure locking pin with steel retainer
- 4 pin stops
- + Fixed flat adapter

MODEL	PRODUCT #	CAPACITY	HEIGHT	WEIGHT
JS-L12	39225650	26,500 lbs.	14"-21"	40 lbs.

Folding Models

- Heavy steel framing manufactured to the highest industry standards
- Ergonomic design promotes health and safety
- Comes with flat adapter, U-shape adapter and V-shape adapter
- + Fine adjuster
- Folding with casters
- Certified by the American Society of Mechanical Engineers (ASME) safety standards for Portable Automotive Service Equipment (PASE)
- Optional space-saving storage bracket

MODEL	PRODUCT #	CAPACITY	HEIGHT	LOCK POS.
JS-M8	39225645	18,000 lbs.	30"-51"	7
JS-H8	39225625	18,000 lbs.	50"-80"	10
JS-M12	39225635	26,500 lbs.	30"-51"	7
JS-H12	39225615	26,500 lbs.	50"-80"	10

Safe & Essential

World Class Support Stands are available from Stertil-Koni. Contact us today at 800.336.6637, lifts@stertil-koni.com or find your local Stertil-Koni distributor at https://stertil-koni.com/distributors.



Hydraulic Transmission Jacks

Transmission removals can be daunting. Simplify the task with a durable and reliable Stertil-Koni heavy duty Hydraulic Transmission Jack. Our Hydraulic Transmission Jacks are engineered to safely facilitate the removal of transmissions as well as other unwieldy undercarriage components while reducing the physical toll on the shop tech.

Motorized

- + Full hydraulic operation: compressed air or battery powered
- * X-style base frame for additional stability and access to under chassis components
- + Lifting speed of 30" per minute
- + Compressed air model includes regulator, filter, and lubricator
- Battery model includes smart charger
- + Hand pump to fine-tune positioning
- Large support table with bidirectional tilt with nylon retaining straps
- + Tilt up to 12 degrees
- + Swiveling locking rear wheels to facilitate narrow radius turns

MODEL #	CAPACITY	POWER	TABLE SIZE	BASE SIZE
SKTJ 401-A	3,500 lbs.	Pneumatic	26"X16"	38"X52"
SKTJ 401-C	3,500 lbs.	Pneumatic	16"X13"	38"X52"
SKTJ 401E-A	3,500 lbs.	12 VDC	26"X16"	38"X52"
SKTJ 402-B	3,500 lbs.	Pneumatic	20"X14"	34"X48"
SKTJ 402E-B	3,500 lbs.	12 VDC	20"X14"	34"X48"






SKTJ 402



- + Easy to use manual hydraulics, foot activated
- + Galvanized support saddle and base frame
- + Precise adjustment for positioning of transmission
- + Hand-operated dead man's release for optimum safety when lowering
- + Built-in overload valve
- + Sturdy swivel castors for stability and maneuverability

MODEL	PRODUCT#	CAPACITY	HEIGHT	CRADLE SIZE	WEIGHT
TJ10	39640200	2,200 lbs.	46"-78"	22"X22"	88 lbs.
TJT12	39640250	2,640 lbs.	35"-75"	28"X28"	154 lbs.



TJ-10



TJ-12



Jobs Made Simple

World Class Hydraulic Transmission Jacks are available from Stertil-Koni. Contact us today at 800.336.6637, lifts@stertil-koni.com or find your local Stertil-Koni distributor at https://stertil-koni.com/distributors.



Manual Transmission Jack Options

Heavy Duty Adjustable Saddle

Product #39630140

- + Capacity 2,200 lbs.
- + 10° tilt in all directions for accurate dismounting and re-mounting of transmissions
- Low minimum height for wide range of applications
- Table dimensions 20"X15"
- Includes 2 straps and 4 magnetic rubber support blocks
- + Weight 55 lbs.

Saddle

Product #9059500

- + Round steel contact adapter
- + For mounting springs, fuel tanks, etc.

Rubber Lifting Cushion

Product #3601400

- + Used with saddle #9059500
- Protects vehicle body











Sterti KORI

Number One in Heavy Duty Vehicle Lifts

Keep your fleet mobile with Stertil-Koni

EARTHLIFT

Mobile Column Lift

DIAMONDLIFT

In-Ground Piston Lift

ECOLIFT

In-Ground Scissor Lift

SKYLIFT

Platform Lift

MULTI-POST

2- and 4-Post Lifts



Wheel Dollies

Wheel and tire maintenance ranks among the most back-breaking tasks in maintenance shops across North America. Add ergonomic convenience to your facility with the Stertil-Koni Wheel Dolly and the picture gets brighter. This fully hydraulic versatile shop tool offers support for virtually all heavy vehicle wheel assemblies, from vans, buses, and trucks to agricultural, military, and industrial machinery. Additionally, it offers support for brake drums, fuel tanks, and other ungainly overhead maintenance.

Motorized

- + Fully hydraulic operation: powered by compressed air or 12 VDC battery
- + Easily handles single and dual wheel applications
- + Lifting forks incorporate rollers to allow rotation of wheel assembly to align wheel studs
- + Lifting forks tilt through activation of hand pump for precision bearing alignment
- + Tilt is 10 degrees above and 4 degrees below horizontal
- Nylon retaining strap secures load
- Protective steel cover to prevent foot injuries and increase stability
- + Wheel diameter is 36" to 48"

MODEL #	CAPACITY	POWER	LIFTING HEIGHT	SPEED/MIN.
SKWD 501*	850 lbs.	Pneumatic	52"	78"
SKWD 500	1,000 lbs.	Pneumatic	52"	78"
SKWD 500E	1,000 lbs.	12 VDC	52"	78"
SKWD 500D74	1,000 lbs.	Pneumatic	74"	78"
SKWD 500E74	1,000 lbs.	12 VDC	74"	78"

^{*} Counterbalance design for Platform Lifts





SKWD 500



SKWD 501

Key Player in Shop

Olivo





SKWD 500D74





Manual Operation

- Specially designed adjustable side lifting arms accommodate agricultural and industrial wheels with larger diameters and widths — even deep tread tractor tires
- Lifting arms incorporate rollers to allow rotation of wheel assembly for proper alignment
- + Robust and easy to use wheel retaining bracket for added safety
- Simple manual operation by foot

MODEL	PRODUCT#	CAPACITY	LIFTING POWER	WHEEL HEIGHT	DIAMETER
WDA 500	39650100	1,100 lbs.	Manual	28"	10"–51"
WD 1500NT*	39650200	3,300 lbs.	Manual	54"	39"–94"
WD 1500N*	39650150	3,300 lbs.	Manual	54"	39"–94"

^{*} Agriculture use

Manual Wheel Dolly Option

Crane Arm

Product #39650210

- + For model WDA500
- Capacity 550 lbs.
- Mounted telescopic crane arm transforms the WD into a universal lifting tool
- + Offers efficiency and good ergonomics when lifting disc brakes, brake drums, calipers, etc.
- + Swivels aside for quick reversion to wheel removal operation
- + Fitted with 360° pivoting hook

Safety

World Class Wheel Dollies are available from Stertil-Koni. Contact us today at 800.336.6637, lifts@stertil-koni.com or find your local Stertil-Koni distributor at https://stertil-koni.com/distributors.



Floor Pit Jacks

Stertil-Koni has taken a traditional standard air hydraulic pit jack and made it better.

The Floor Pit Jack is an air hydraulic jack with telescopic ram, fitted with leaf spring support bearings for smooth gliding along the pit floor. This Floor Pit Jack is designed to operate on pit floor surfaces safely, thereby not depending on pit edges that are often not reinforced or sufficiently strong.

Floor Running

- + Rapid, precise air/hydraulic unit with high speed ram travel up and down
- + Built-in manual foot pump for easy and precise adjustment
- + Flexible pit jack for use both in pits and under vehicles
- + Ideal for R & R of transmissions due to telescopic ram
- Traversing ram ensures a wide reach under the vehicle and enables the mechanic to move freely back and forth in the pit (Model FPJ150U)
- + Spring loaded wheel support prevents unintended movements when lifting more than 1,760 lbs.
- Dead man's release and safety overload valve for optimum safety

MODEL	PRODUCT#	CAPACITY	RAM	HEIGHT**	BASE
FPJ 150 F	39660100	33,000 lbs.	single	87"	33"X39"
FPJ 150 U*	39660200	33,000 lbs.	single	87"	33"X42"

^{*} Telescopic and sideways movable cylinder



Multi-Use. Versatile. Hardworking.



T4-1





39630121



Floor Jack Options

Adjustable Crossbeams

MODEL	PRODUCT#	CAPACITY	HEIGHT	ADJUST RANGE	PISTONS
T6-1	39630135	28,600 lbs.	3"	28"–48"	single
T6-2	39615135	28,600 lbs.	3"	28"–48"	tandem
T4-1	39630125	33,000 lbs.	4"	7"–29"	single
T4-2	39615130	33,000 lbs.	5"	7"-29"	tandem

Transmission Tables

Product #39660210 and AS3, Product #3966140

- + Capacity 1,100 lbs.
- Table dimensions 20" x 15"
- + For single piston models

ABT Variable Support Bridge

Product #39630121

- + Capacity 33,000 lbs.
- + For safe and stable support of the vehicle
- Open frame offers optimum traversing cylinder mobility
- With leaf spring wheels for easy transport along the pit
- Usable with various adapters
- + For use with FPJ jacks

AB Support Bridge

Product #39630120

- Capacity 44,000 lbs.
- + For safe and stable support of the vehicle
- + With leaf spring wheels for easy transport along the pit
- Usable with various adapters



Light Up Your Workspace

LED Magnetic Flood Light

Providing portable, area-specific under-vehicle lighting is vital to ensuring shop safety and efficiency. Whether techs are doing routine maintenance, removing components or installing new parts, lights brighten the environment and help reduce overall repair time. The Stertil-Koni LED Magnetic Flood Light is a portable, magnetic, high-intensity 10-watt LED light engineered to easily affix to a broad range of metal surfaces commonly found in vehicle maintenance shops.



LED Magnetic Flood Light Set

Product #69700141

- Includes: lamp, battery, charging unit and tripod
- Provides up to 800 lumens of directed light
- Powered by rechargeable lithium-ion battery
- + Die-cast aluminum housing
- + IP65 dust and water resistant
- Strong magnetic base
- + 110 VAC charging cord Product #69700146









Trustworthy

"Service and support from Stertil-Koni is something our maintenance staff gets directly involved in. Stertil-Koni's support has been outstanding, which is why we buy their products. It has been a long lasting successful partnership.

Would I buy another Stertil-Koni product? Would I recommend Stertil-Koni? Yes, I would."

Bob Graden
 Plant Manager
 Vac-Con
 Green Cove Springs, Florida



"D'Annunzio & Sons always bases its choices on quality — with the final, customer project in mind. We have quality people, equipment, and vehicle lifts — all of which positively impact job performance and completion time."

John Cafro
 Equipment Manager
 D'Annunzio & Sons, New Jersey

Pictured to left is Matthew Morgan, Principle at Stertil-Koni Distributor, Hoffman Services Inc.



Discover the ultimate Freedom of Choice in heavy duty vehicle lifting systems, comprehensive shop equipment, and lift accessories.

Our experts are ready to help. For a free quote, contact us today.



200 Log Canoe Circle | Stevensville, MD 21666

tel 410.643.9001 or (toll free) 800.336.6637 | fax 410-643-8901 | email lifts@stertil-koni.com
Find a local distributor at https://stertil-koni.com/distributors

www.Stertil-Koni.com